

# MINERAL

## Extended Specifications

Use Classification:	Heavy Commercial - 33 (EN 1307)
Construction:	Tufted Pattern Colour Placement Loop Pile
Product Description:	Tufted Carpet Tile
Yarn Type:	Stainproof SDX & Stain Proof SDX Eco
Yarn Mass:	±450g/m <sup>2</sup>
Total Mass:	±3842 g/m <sup>2</sup>
Total Thickness:	± 6mm (±0.5)   ± 0.24 in (±0.02)
Backing Type:	Nextbac
Stitch Rate:	50 stitches per 10cm
Machine Gauge:	1/10"
Standard Size:	50 x 50cm



**Belgotex™**

# MINERAL

## Extended Specifications

VOC Tested: Passed

Warranty: 15 Years

Guarantee: 5 Years

\*\* Weighted Average



**Belgotex™**



98

# MINERAL



## Bill of Quantities

- Belgotex Mineral 50x50cm heavy commercial ±6mm NexBac tiles are manufactured from Stainproof SDX and Stainproof SDX Eco.
- This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex Mineral tiles to be installed in the following directions: Ashlar, Random Ashlar, Brick, Monolithic, Colour Mix and Tessellated.
- Belgotex recommends the use of carpet protector mats where castor wheels are used.
- 5-year guarantee and 15-year warranty (Linked to a Maintenance Plan).
- Made in South Africa.
- Green tag level A Gold rated certification.

\*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.